

CLOUD INFOTECH PVT. LTD.



**PRODUCT
CATALOGUE**

WWW.CLOUDINFOTECH.CO.IN



CLOUD INFOTECH

Cloud InfoTech, a well-known name in the field of telecom & networking solutions, has definitely made a niche for itself in the field. In the ever-changing & ever-growing service industry, Cloud InfoTech is one solid name. A well-placed proof of this fact would be impressive growth of the company's sales chart!

The firm offers multivendor solutions for Service industries like ISP, Real Estate, Security & Surveillance, Hospitality, Education & many more. "In fact, You put your requirement & We have it!"

Cloud InfoTech works with a mission to simplify Industry need for the partners & end users via providing all the necessary Solution, Starting from the backbone of the infra to the front-end of the technology, under a single roof. Our products help your business grow with the continuous changing Digital World. After all, these are the superb merger of latest technology & many years of rich golden experience.

**So, choose Cloud InfoTech & get
the best of Digital World at your
doorsteps!**

AMAZING WORLD LEADING CUSTOMERS



Industry Leading Brands We Deal With



Hisense

ZTE





GRANDSTREAM

CONNECTING THE WORLD



AWARD-WINNING IP VOICE, VIDEO, DATA AND MOBILITY SOLUTIONS

Grandstream is a leading manufacturer of IP communication solutions, creating award-winning products that empower businesses across the globe.

IP Voice Telephony

GRP Series Essential IP Phones



GRP2601(P)

2 SIP account, 2 lines
5-way audio conferencing



GRP2602(G/P/W)

2 lines, 4 SIP accounts
5-way audio conferencing



GRP2603(P)

3 lines, 6 SIP accounts,
up to 3 call appearances



GRP2604(P)

3 lines, 6 SIP accounts,
10 BLF keys



GRP2612(P/W)

2 SIP accounts
4 multi-purpose line keys



GRP2613

3 SIP accounts
6 multipurpose line keys



GRP2614

4 line keys, 4 SIP
8 BLF keys



GRP2615

10 line keys
up to 5 SIP accounts

Professional IP Phones



GRP2616

6 line, up to 6 SIP accounts
Digital BLF Keys



GRP2624

8 lines, 4 SIP accounts
5-way audio conferencing



GRP2634

8 lines, 4 SIP accounts
10 BLF keys



GRP2650

Up to 6 SIP accounts
5-inch TFT color LCD



GRP2670

12 lines, 6 SIP accounts
7-inch touch screen

Wi-Fi Cordless



WP825

8hr talk time, 200-hour standby
Integrated Bluetooth



WP822

8hr talk time, 200-hour standby
Integrated Bluetooth



WP820

7.5hr talk time, 150-hour standby
Bluetooth



WP810

6hr talk time, 120-hour standby
2 SIP accounts, 2 lines

DECT Cordless



DP720

Up to 10 SIP accounts
3.5mm headset jack
3-way voice conferencing



DP722

Up to 10 SIP accounts
10 lines
3-way conferencing



DP730

10 SIP accounts
10 lines
3-way conferencing



DP750

10 SIP accounts
Up to 10 lines
Up to 5 concurrent calls



DP752

Up to 10 SIP accounts
Up to 10 lines
Range of up to 400 meters



DP760

Up to 2 concurrent HD calls
Range of 300 meters outdoors,
50 meters indoors for added mobility

IP Video Phones with Android

Integrated Dual Band Wi-Fi (2.4GHz & 5GHz)



GXV3480

16 lines with up to 16 SIP accounts
Runs on Android 11 operating system
12-way HD audio conferencing
2 megapixel camera
8 inch 1280x800 capacitive touch screen



GXV3470

16 lines with up to 16 SIP accounts
Runs on Android 11 operating system
10-way audio conferencing
Megapixel camera
7 inch 1280x800 capacitive touch screen



GXV3450

16 lines with up to 16 SIP accounts
Runs on Android 11 operating system
10-way audio conferencing
2 mega-pixel camera
5 inch 1280x720 capacitive touch screen



GXV3380

16 lines with up to 16 SIP accounts
Android 7.x operating system
7-way HD audio conferencing
2 megapixel camera
8 inch 1280x800 capacitive touch screen



GXV3370

16 lines with up to 16 SIP accounts
Android 7.0 operating system
7-way audio conferencing
Megapixel camera
7 inch 1024x600 capacitive touch screen



GXV3350


16 lines with up to 16 SIP accounts
Android 7.0 operating system
6-way audio conferencing
1 mega-pixel camera
5 inch 1280x720 capacitive touch screen

UCM Series IP PBXs



UCM6300 Series

Up to 3000 users
Up to 450 concurrent calls
API available for third-party integrations



UCM6300 Audio series

Up to 1500 users
Up to 200 concurrent calls
API available for third-party integrations



UCM6510

Up to 2000 User, 200 calls
Up to 64 conference attendees
1E1, 2FXS, 2 FXO



UCM6200

Supports up to 800 users, 50 SIP trunk accounts, up to 100 concurrent calls, 8 FXO



HA100

Connects and constantly monitors two UCM6510 together for high availability.

Wireless Access Points



WI-FI ACCESS POINTS



NEW



GWN7665

Up to 175-meter range.
384 concurrent Wi-Fi client
devices.
Tri-Band Wi-Fi 6E.

NEW



GWN7664

Up to 175-meter range
512 concurrent Wi-Fi client
devices

NEW



GWN7660

Up to 175-meter range
256 concurrent Wi-Fi
client devices

GWN Series

WI-FI

ACCESS POINTS



GWN7660LR

Up to 250-meter range
56+concur+i-Ficlient
devices



GWN7624

Up to 175-meter coverage range
5GHz 4x4:4 MU-MIMO
Up to 200 concurrent Wi-Fi client



GWN7625

Up to 165-meter coverage range
5GHz 4x4:4 MU-MIMO
up to 200 concurrent Wi-Fi client

GWN Series

WI-FI

ACCESS POINTS



GWN7630LR

Up to 300-meter range
200+ concurrent Wi-Fi
client devices



GWN7630

Up to 175-meter range
200+ concurrent Wi-Fi
client devices



GWN7615

Up to 175-meter range
200+ concurrent Wi-Fi
client devices

GWN Series



Solve your connectivity problems easily.



GWN7605LR

Up to 250-meter range
100+ concurrent Wi-Fi
client devices



GWN7605

Up to 165-meter range
100+ concurrent Wi-Fi
client devices



GWN7602

Up to 100-meter range
Up to 80 Wi-Fi client devices

GWN Series



Networking Routers

Ideal for small offices, home offices and remote workers



GWN7052

Supports 100 concurrent
Wi-Fi client devices



GWN7062

Supports 256 concurrent
Wi-Fi client devices

Business Conferencing



IPVT10

Up to 300 participants
120 video feeds per session
1080p HD



IPVideoTalk

1080p HD video
HD Audio quality

NEW



GVC3220

4K Full-HD video
Android 9.0 operating
5-way 1080P

NEW



GVC3212

3-meter pickup distance
Dual-band Wi-Fi
Integrated 1x HDMI



GVC3210

4k Ultra HD
Android 6.x operating
Dual band Wi-Fi



GVC3202

1080p Full-HD video
up to 3-way conferences
Based on Android



GVC3200

1080p Full-HD video
up to 3-way video conferences
PTZ camera with 12x zoom

NEW



GMD1208



GAC2500

Audio

Personal Collaboration Devices

HEADSETS



GUV3050

HD Bluetooth Headset
HD Audio
Noise canceling technology



GUV3005

HD Audio
Noise canceling technology
USB 2.0 connection



GUV3000

HD Audio
Noise canceling technology
USB 2.0 connection

USB Webcam



GUV3100

1080p Full HD video
USB 2.0 port
1+ meter voice range
2 built-in microphones



Full HD IP Cameras



GSC3615

Supports motion detection
3.6mm lens
Weatherproof capability



GSC3610

Supports motion detection
3.6mm lens
weatherproof capability



GSC3620

Supports motion detection
2.8mm-12mm varifocal lens
weatherproof capability

Facility Access Systems

DOOR PHONE



GDS3710



GDS3705



GDS3702

INTERCOMS & PAGING

Control Stations



GSC3510

Full-duplex speakerphone
Echo cancellation
10/100Mbps network port



GSC3505

Full-duplex speakerphone
Dual-band Wi-Fi & Bluetooth
10/100Mbps network port



GSC3570

7 inch, Touch screen
Dual-band 802.11 ac Wi-Fi
Full duplex 2-way HD audio

VoIP Gateways



GXW4500 series

E1/T1/ J1 ports,
Support PRI, SS7, MFC R2
Supports multi- languages



GXW4200 series

16/24/32/48 FXS ports
1 Gigabit network port
Supports multi- languages



GXW4104/4108

4 or 8 ports
2 10/100 Mbps network ports
PSTN Failover on power failure

Analog Telephone Adaptors



HT818

2 SIP profiles & 8 FXS ports
3-way voice conferencing
Supports T.38 Fax



HT814

2 SIP profiles & 4 FXS ports
Dual Gigabit ports
3-way voice conferencing



HT813

2 SIP profiles through
1 FXS port & 1 FXO port
3-way voice conferencing



HT812

2 SIP profiles , 2 FXS ports
Dual Gigabit ports
3-way voice conferencing



HT802

2 SIP profiles, 2 FXS ports
Supports T.38 Fax
3-way voice conferencing



HT801

1 SIP profiles, 1 FXS ports
Supports T.38 Fax
3-way voice conferencing

ATAS



Simple. Flexible. Speedy

FTTH includes fiber-optic access solutions designed for residential/commercial deployments.

Cloud InfoTech Pvt. Ltd.

Simple. Flexible. Speedy.

EPON/GPON Access Network.



1G ONU

1 PON, 1*GE (RJ45)

28dB Link loss and 20KM distance

Compatible with third Party OLT

SUPPORT BRIDGE & ROUTE MODE (G+)

1 G + CATV

1 PON, 1*GE (RJ45)

CATV interface RF, optical power : +2~-18dBm

RF frequency: 47MHz~1000MHz

SUPPORT BRIDGE & ROUTE MODE (G+)



Single Band Access Network.

2.4 GHz



Single Band Wi-Fi

Data Interface: 1 GE + 1 FE

POTS Interface: 1 FXS Port

2 external antennas

Frequency: 2.4~2.4835GHz (up to 300 Mbps)



DUAL BAND Access Network.

5 GHz



Dual Band Wi-Fi

1 G/EPON port, 2 Gigabit port

1 x RJ11 connectors

2.4GHz Operating frequency: 2.400-2.483GHz

5.0GHz Operating frequency: 5.150-5.825GHz

Support: multiple SSID



XPON ONU

EPON/GPON OLT.

Optical Line Terminal



EPON OLT

4/8 Ports, 2/4*10GE SFP+ Ports

Combo Ports of 4*GE Ethernet / 4 SFP Interfaces

A complete PON protection switching function

GPON OLT

4/8/16 PON Ports, 2/4*10GE SFP+ Ports

Combo Ports of 4*GE Ethernet / 4 SFP Interfaces

A complete PON protection switching function



COMPREHENSIVE Range of FIBER PRODUCTS



EPON OLT

4/8 Ports, 2/4*10GE SFP+ Ports
Combo Ports of 4*GE Ethernet / 4 SFP Interfaces
A complete PON protection switching function



GPON OLT

4/8/16 PON Ports, 2/4*10GE SFP+ Ports
Combo Ports of 4*GE Ethernet / 4 SFP Interfaces
A complete PON protection switching function



MEDIA CONVERTER

10/100M Single/Dual Fiber (20km)
10/100/1000M Single/dual Fiber (20km)



FIBER SFP

Data Rate:1G/10G/40G/100G-SFP/SFP+
Fiber Mode: Single/Dual Fiber SMF/MMF
Distance:20-120km



PON MODULE

EPON-C+++ Upto 9dBm (1.25/1Gbps-20km)
GPON-C+++ Upto 8dBm (2.25/1.25Gbps-20km)



COPPER SFP

1G Copper SFP (100M)
10G Copper SFP+ (100M)

SPLICING MACHINE



UB5404-CL

Clad to Clad 4 Motor Splicing

5-inch color LCD touch screen

250 times of splicing

Electrodes life: 6000 times

Battery Power: 5200 mAh

UB5406-CR

Core to Core 6 Motor Splicing

5 Inch HD screen, 380X/190X

5200mAh battery capacity

250 times splice & heat cycles

Electrodes life: 6000 times



Common Deployments





Upgrade your network to next generation

Huawei Campus **switches** are intelligent **switches** designed for next-generation high-end campus networks,



Enterprise-Level Innovative Network Solutions

CloudEngine



S6730-H Series

24/48*10 Gig SFP+, 6 x 40/100 Gig QSFP28
Fixed Ports
Compatible with PVST, PVST+, and RPVST
2.4Tbps Switching Capacity



S5735-L Series

Upto 8/24*GE SFP Ports
4/10 GE SFP/SFP+ Ports
Supports PoE+ ,
Upto 432 Gbps Switching Capacity



S5735-L8T4S-A1

8 x 10/100/1000Base-T ports,
4 x 1GE SFP ports
Forwarding performance: 18 Mpps
Switching capacity: 24 Gbps/336 Gbps



S5735-L8T4X-A1

8 x 10/100/1000Base-T ports,
4 x 10 GE SFP+ ports
Forwarding performance: 72 Mpps
Switching capacity: 96 Gbps/336 Gbps



NetEngine 8000 M1A / F1A

Switching Capacity : Upto 2.4 Tbit/s
Forwarding performance : Upto 453 Mpps
Capacity Density (G/U) : Upto 1200



SmartAX EA5800 Series

The EA5800 provides GPON, XG-PON,
XGS-PON, GE, and 10 GE access
Supports multiple network construction
modes, including POL, FTTH, FTTB, and FTTC
Dual Power Supply



EchoLife EG8145V5 / A5

1 POTS + 4 GE + Wi-Fi + USB Ports (V5)
1 POTS + 1GE +3FE+ Wi-Fi + USB Ports (A5)
Support Dual frequency Wi-fi

DINSTAR



**DINSTAR is a leading
global provider of IP
Unified Communication
products**

ANALOG VOIP GATEWAY

FXS VoIP Gateway



1,2,4 FXS ports

1/2/4 FXS ports,
1 WAN, 1 LAN



8 FXS ports

8 FXS ports, 1 WAN,
3 LAN, Support SIP, IMS



16,24, 32 FXS ports

16,24,32 FXS ports,
4 LAN, Support SIP, IMS



48 FXS ports

48 FXS ports, 2 LAN
Support SIP, IMS



128 FXS ports

Power Failover
IP/SIP Failover
Support SIP, IMS

FXO VoIP Gateway



DAG1000-40

4 FXO ports, 1 WAN, 3 LAN
Support SIP, IMS



DAG1000-80

8 FXO ports, 1 WAN, 3 LAN
Support SIP, IMS



DAG2000-160

16 FXO ports, 4 LAN
Support SIP, IMS

Digital VoIP Gateway

PRI GATEWAY



MTG200

1/2 ports E1/T1
Up to 60 simultaneous calls
Multiple SIP trunks



MTG1000

1/2 ports E1/T1
Up to 60 simultaneous calls
Multiple SIP trunks



MTG2000

4 to 20 ports E1/T1
Up to 600 simultaneous calls
Dual Power Supplies



MTG2000B

4 to 16 ports E1/T1
Up to 480 simultaneous calls
Dual Power Supplies



MTG3000

16 to 63 ports E1/T1
Up to 1890 simultaneous calls
Multiple SIP trunks



MTG3000T

Up to 2048 VoIP Sessions
Dual Power Supplies
Multiple SIP trunks

GSM/3G/4G VoIP Gateway

GSM GATEWAY

VoLTE / NON-VoLTE



UC2000-VE
4/8-channel



UC2000-VF
16-channel



UC2000-VG
32-channel

UC2000-VH
64-channel



VoLTE



Voice



SMS



API



SIP



SIMCloud

- ✓ GSM/WCDMA/LTE support
- ✓ Voice over LTE (VoLTE)
- ✓ Hot Swappable SIM Cards
- ✓ Compatible with mainstream VoIP platform
- ✓ Mobility Extension, never miss a call
- ✓ SMS sending & receiving, SMS API
- ✓ Credit Limit management
- ✓ Auto CLIP



IP PBX

Easy to deploy, simplify the management




UC100

32 SIP users, 8 Concurrent Calls
Multiple SIP trunks
Wi-Fi Hotspot



UC120

60 SIP users, 15 calls
1 LTE / GSM, 1 FXS, 1 FXO
USB



UC200

500 SIP users, 30 calls
2 FXS, 2 FXO, USB
Multiple SIP trunks

Good compatibility with different vendors



Session Border Controller SBC



SBC300

5-50 SIP sessions
5-50 transcoding
Unlimited SIP trunks



SBC1000

50-500 SIP sessions
50-200 transcoding
Dual Power Supply



SBC3000

500-2000 SIP sessions
300-1200 transcoding
Unlimited SIP trunks

Hisense




Hisense,
Your Reliable Partner

DISPLAY PANELS

Hisense



Native Apps



ZTE



ZTE Corporation is a global leader in telecommunications and information technology.

ZTE Products Transforming the World



Ethernet IP Switches



OLT



Access Routers



GPON ONT

ZTE



Poly offers an amazing lineup of headsets, with great sound and comfortable designs.

plantronics®



Plantronics and Polycom are now together as Poly

STYLE, COMFORT AND AUDIO QUALITY.

BLACKWIRE

IDEAL FOR

Professionals in the distracting open office/home office looking for a premium solution



Black wire 3320



Black wire C3200



Black Wire C3220 USB



Black wire C3225 USB-A



Black wire C3325 USB-A



SP12



VOYAGER 4220



VOYAGER 4220 D Office



VOYAGER 5200 CD office



VOYAGER 5200 UC

VOYAGER

BETTER SOUND WHEREVER YOU WORK

BLUETOOTH® SPEAKERPHONE

BLUETOOTH
STEREO HEADSET



8200 UC

Up to 24 hours listen, 20 hours talk,
up to 1 month standby time



Calisto 3200

Use simple, intuitive
one-touch controls



Calisto 3200 USB-A M

Works seamlessly with
Laptops and Desktops




Calisto 5300

Connect easily with
Bluetooth® and USB
options

 **poly**
SYNC 20



SYNC
20+




Take it wherever you go—its battery lasts for hours and can charge your
smartphone. You'll always hear and be heard.

PERSONAL, USB/BLUETOOTH®

SMART SPEAKERPHONE

PROFESSIONAL, CUSTOMER SUPPORT AND MANAGED SERVICES



Contact us

Thank you for your attention

Corporate Headquarter

CLOUD INFOTECH PVT. LTD.

D-92, Sector-63, Noida, UP-201301, India

Website: www.cloudinfotech.co.in

Mail: info@cloudinfotech.co.in



Branch

Offices:



Delhi, Mumbai, Pune, Chandigarh, Bengaluru, Hyderabad, Ahmedabad, Chennai, Kolkata, Kochi

Cloudinfotech.co.in © 2023 Cloud InfoTech Proprietary - Every effort has been made to ensure accuracy of this document. Due to on-going improvements and revisions, Cloud InfoTech reserves the right to make changes without notice.